

=> IFW: Scan as Doc Code: SRNT <=
Doc Date:

TC 3700 Inventor Search Program

See attached inventor searches for applications and/or patents to help resolve questions of overlapping subject matter. These searches are provided as an initial examination aid: examiners should perform updated or expanded PALM or EAST inventors searches as appropriate.

Serial Number: 10/522,178

- 1.) See attached printout of inventors listed in
PALM**

- 2.) See attached EAST Inventor Search
Printout shows Inventor search terms**

Day : Monday
Date: 2/27/2006

Time: 14:55:08

 **PALM INTRANET****Inventor Information for 10/522178**

Inventor Name	City	State/Country
SHIMIZU, TOSHIO	TOKYO	JAPAN
HAKOZAKI, KATSUYA	TOKYO	JAPAN
KANAI, TOSHIYUKI	TOKYO	JAPAN

[Appn Info](#) [Contents](#) [Petition Info](#) [Atty/Agent Info](#) [Continuity Data](#) [Foreign Data](#)Search Another: Application# or Patent# PCT / / or PG PUBS # Attorney Docket # Bar Code #

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | Home page

JS 20060035533 A1	US- PGPUB	20060216	Wiring harness for vehicle	439/712		Yamano; Yoshiaki et al.
JS 20050269380 A1	US- PGPUB	20051208	Stapler and cartridge	227/155		Shimizu, Toshio et al.
JS 20050224553 A1	US- PGPUB	20051013	Staple cartridge for electric stapler	227/131	227/155	Hakozaki, Katsuya et al.
JS 20050220703 A1	US- PGPUB	20051006	Process for producing synthesis gas for the fischer-tropsch synthesis and producing apparatus thereof	423/648.1	422/188; 422/190; 422/198	Ihara, Masaru et al.
JS 20050113958 A1	US- PGPUB	20050526	Numerically controlled device	700/181	700/87	Shimizu, Toshio et al.
JS 20040211811 A1	US- PGPUB	20041028	Staple cartridge of electric stapler	227/131		Hakozaki, Katsuya et al.
JS 20040200636 A1	US- PGPUB	20041014	Enameled wire	174/120R		Hirai, Hisayuki et al.
JS 20040195288 A1	US- PGPUB	20041007	Staple detection mechanism of electric stapler	227/82	227/131	Higuchi, Kazuo et al.
JS 20030168729 A1	US- PGPUB	20030911	Insulating substrate, manufacturing method thereof, and module semiconductor device with insulating substrate	257/700	257/633; 257/640; 257/703; 257/758; 257/E23.062; 257/E23.08; 257/E23.194; 438/125; 438/622; 438/724	Ishiwata, Yutaka et al.
JS 20030111506 A1	US- PGPUB	20030619	Motor-driven stapler	227/131		Kanai, Toshiyuki et al.
JS 20030111504 A1	US- PGPUB	20030619	Motor-driven stapler	227/2	227/131	Kanai, Toshiyuki et al.
JS 20020066953 A1	US- PGPUB	20020606	INSULATING SUBSTRATE INCLUDING MULTILEVEL INSULATIVE CERAMIC LAYERS JOINED WITH AN INTERMEDIATE	257/700	257/668; 257/701; 257/758; 257/E23.062; 257/E23.08; 257/E23.194; 438/118; 438/123;	ISHIWATA, YUTAKA et al.

			LAYER		438/125	
JS 20010050302 A1	US- PGPUB	20011213	Motor operated stapler	227/155	227/131	Hakozaki, Katsuya et al.
JS 20010033262 A1	US- PGPUB	20011025	Image display apparatus and method thereof	345/89		Funakoshi, Akihiro et al.
JS 20010023887 A1	US- PGPUB	20010927	Stapler	227/155	227/152	Hakozaki, Katsuya et al.
JS 20010010401 A1	US- PGPUB	20010802	Semiconductor device having a wiring layer of copper	257/751	257/762	Koyama, Mitsutoshi et al.
JS 20010004988 A1	US- PGPUB	20010628	Cartridge for a motor- operated stapler	227/131		Yoshie, Toru et al.
JS 20010002666 A1	US- PGPUB	20010607	Switch gear and method of manufacturing thereof	218/134	218/139	Ito, Yoshihiro et al.
JS D507729 S	USPAT	20050726	Staple cartridge	D8/49		Kishi; Kazuhiko et al.
JS 6918527 B2	USPAT	20050719	Staple cartridge of electric stapler	227/131	227/120; 227/128; 227/155	Hakozaki; Katsuya et al.
JS D507165 S	USPAT	20050712	Staple cartridge	D8/49		Kishi; Kazuhiko et al.
JS 6906258 B2	USPAT	20050614	Enamelled wire	174/36	174/110R; 174/120R	Hirai; Hisayuki et al.
JS 6897396 B2	USPAT	20050524	Switch gear and method of manufacturing thereof	218/120	218/140; 218/154	Ito; Yoshihiro et al.
JS 6894670 B2	USPAT	20050517	Image display apparatus and method thereof	345/89	345/50; 345/54; 345/55; 345/87; 345/90	Funakoshi; Akihiro et al.
JS 6892919 B2	USPAT	20050517	Staple detection mechanism of electric stapler	227/2	227/131; 227/136; 227/155	Higuchi; Kazuo et al.
JS 6862012 B1	USPAT	20050301	White point adjusting method, color image processing method, white point adjusting apparatus and liquid crystal display device	345/88	345/101; 345/102; 345/89	Funakoshi; Akihiro et al.
JS 6812136 B2	USPAT	20041102	Method of making a semiconductor device	438/629	257/62; 438/637;	Koyama; Mitsutoshi et

			having a multilayer metal film of titanium/titanium nitride/tungsten/tungsten carbide		438/646; 438/687	al.
JS 6719181 B2	USPAT	20040413	Motor-driven stapler	227/2	227/154; 227/155; 227/3; 227/4	Kanai; Toshiyuki et al.
JS 6705504 B1	USPAT	20040316	Motor-driven stapler	227/135	227/114; 227/136; 227/2	Kanai; Toshiyuki et al.
JS 6698640 B2	USPAT	20040302	Motor operated stapler	227/4	227/155	Hakozaki; Katsuya et al.
JS 6605868 B2	USPAT	20030812	Insulating substrate including multilevel insulative ceramic layers joined with an intermediate layer	257/703	174/52.4; 257/468; 257/485; 257/700; 257/701; 257/712; 257/713; 257/723; 257/731; 257/758; 257/762; 257/E23.062; 257/E23.08; 257/E23.194; 29/827; 29/830; 29/852	Ishiwata; Yutaka et al.
JS 6597063 B1	USPAT	20030722	Package for semiconductor power device and method for assembling the same	257/687	257/675; 257/706; 257/717; 257/788; 257/E23.092; 257/E23.125; 257/E23.126; 257/E23.14	Shimizu; Toshio et al.
JS 6543667 B2	USPAT	20030408	Cartridge for a motor-operated stapler	227/120	206/338; 227/131; 227/136	Yoshie; Toru et al.
JS 6484921 B2	USPAT	20021126	Stapler	227/2	227/155; 227/5; 227/6	Hakozaki; Katsuya et al.
JS 6366262 B1	USPAT	20020402	Method and apparatus for supporting multiple NPT display sessions on	345/1.2	345/1.1; 710/109; 710/263;	Amell; Steven Joseph et al.

			a single address		715/733; 715/750	
JS 6201696 B1	USPAT	20010313	Package for semiconductor power device and method for assembling the same	361/704	165/80.2; 165/80.3; 257/687; 257/706; 257/717; 257/E23.092; 257/E23.125; 257/E23.126; 257/E23.14; 361/705; 361/706; 361/707; 361/708; 361/709; 361/710; 361/712	Shimizu; Toshio et al.
JS 6168383 B1	USPAT	20010102	Rotor blade for rotary-wing aircraft	416/228	415/119; 416/223R; 416/231B; 416/235; 416/237	Shimizu; Toshio
JS 5932235 A	USPAT	19990803	Jellied medicinal composition for oral administration	424/401	424/451; 424/464	Ninomiya; Hiroshi et al.
JS 5836502 A	USPAT	19981117	Motor driven stapler	227/131	227/120; 227/155	Kanai; Toshiyuki et al.
JS 5777186 A	USPAT	19980707	Process for hydrogenating benzene in hydrocarbon oils	585/269	585/270; 585/271; 585/273; 585/274	Shimizu; Toshio
JS 5516276 A	USPAT	19960514	Injection molding apparatus for molding a disc having a replaceable die	425/574	264/106; 264/107; 425/575; 425/589; 425/810	Takayama; Kazutoshi et al.
JS 5474222 A	USPAT	19951212	Motor driven stapler	227/131	227/120; 227/155	Kanai; Toshiyuki et al.
JS 5386139 A	USPAT	19950131	Semiconductor light emitting element with improved structure of groove therein	257/466	257/443; 257/446; 257/452; 257/618; 257/622;	Idei; Yasuo et al.

					257/79; 257/88; 257/93; 257/96; 257/99; 257/E27.12; 257/E33.049; 372/46.01; 372/50.1	
JS 5380935 A	USPAT	19950110	Process for preparing 5-aminolevulinic acid	562/567	204/157.69	Takeya; Haruhiko et al.
JS 5321354 A	USPAT	19940614	Method for inspecting semiconductor devices	324/765	714/736	Ooshima; Yoshimasa et al.
JS D336336 S	USPAT	19930608	Crystallization furnace for dental prostheses	D24/176		Hakamatsuka; Yasuhiro et al.
JS D335539 S	USPAT	19930511	Casting machine for dental prostheses	D24/176		Hakamatsuka; Yasuhiro et al.
JS D335537 S	USPAT	19930511	Crystallization furnace for dental prostheses	D24/176		Hakamatsuka; Yasuhiro et al.
JS 5087504 A	USPAT	19920211	Multi-injection molded flange with gasket in wedge shaped opening	428/167	285/336; 285/349; 285/350; 285/352; 285/910; 428/139; 428/157; 428/161; 428/163; 428/172; 428/192; 428/451; 428/477.7; 428/57; 428/66.4	Kanai; Toshiyuki et al.
JS 5029745 A	USPAT	19910709	Electric stapler	227/155	227/131	Akizawa; Nobuyuki et al.
JS 5026265 A	USPAT	19910625	Multi-injection molding machine for molding a multi-injection body	425/127	264/328.11; 264/328.7; 264/328.8; 425/130;	Kanai; Toshiyuki et al.

					425/134; 425/572; 425/574	
JS 5009355 A	USPAT	19910423	Electric stapler	227/114	227/131; 227/155; 227/85	Akizawa; Nobuyuki et al.
JS 5008060 A	USPAT	19910416	Method of molding a multi-injection molded body	264/255	264/250; 264/274; 264/296; 425/129.1	Kanai; Toshiyuki et al.
JS 4988979 A	USPAT	19910129	Fault inspection system for rotary machines	340/683	702/35; 73/660	Sasaki; Hiroaki et al.
JS 4887886 A	USPAT	19891219	Colored articles with interference layers made of a composite of silicon dioxide and silicon carbide	359/589	428/333; 428/704	Shimizu; Toshio et al.
JS 4750260 A	USPAT	19880614	Thermal head method of manufacturing	29/611	29/620; 29/621; 338/308; 338/309; 347/209; 427/402; 427/404; 427/97.5	Takeno; Shozo et al.
JS 4729780 A	USPAT	19880308	Centrifugal casting device	65/302	164/114; 164/287; 164/289; 65/71	Shimizu; Toshio
JS 4680593 A	USPAT	19870714	Thermal print head	347/205	347/209	Takeno; Shozo et al.
JS 4629664 A	USPAT	19861216	Liquid fuel cell	429/23		Tsukui; Tsutomu et al.
JS 4612261 A	USPAT	19860916	Fuel cell battery using acidic electrolyte	429/13	429/23	Tsukui; Tsutomu et al.
JS 4597431 A	USPAT	19860701	Melting and pressure casting device	164/253	164/258; 164/335; 164/338.1	Hobo; Sumiya et al.
JS 4588660 A	USPAT	19860513	Fuel cell	429/35	429/37; 429/39	Shimizu; Toshio et al.
JS 4562123 A	USPAT	19851231	Liquid fuel cell	429/27	429/101; 429/30; 429/53; 429/72	Shimizu; Toshio et al.

JS 4537840 A	USPAT	19850827	Fuel cell using organic, high-molecular weight electrolyte	429/33	429/34; 429/35	Tsukui; Tsutomu et al.
JS 4433229 A	USPAT	19840221	Electrode roll for resistance welding	219/84	219/119; 439/17	Morikawa; Yonekichi et al.
JS 4365254 A	USPAT	19821221	Two-color recording paper and method and recording apparatus utilizing the two-color recording paper	347/172	346/135.1; 430/258	Ozawa; Masaru et al.
JS 4328977 A	USPAT	19820511	Recording paper capable of recording images in two colors	503/204	347/172; 427/145; 427/148; 428/201; 428/41.6; 428/473.5; 428/481; 428/483; 428/535; 428/913; 428/914; 503/208	Ozawa; Masaru et al.
JS 4318100 A	USPAT	19820302	Automatic ground clutter rejection in weather pulse radar system	342/26D	342/159; 342/188	Shimizu; Toshio et al.
JS 4290946 A	USPAT	19810922	Preparation of hexamethyleneimine	540/612		Takahashi; Yasunobu et al.
JS 4271416 A	USPAT	19810602	Slit type ink recording apparatus	347/55	347/44	Shimizu; Toshio et al.
JS 4251297 A	USPAT	19810217	Method for manufacturing magnetic head using boronizing treatment	148/121	148/122; 148/279; 29/603.08; 29/603.12; 427/127; 427/252; 427/383.7	Kawabata; Hidetsugu et al.
JS 4007302 A	USPAT	19770208	Case-hardening method for carbon steel	148/278	427/249.19; 427/253; 427/399	Hashimoto; Hiroshi et al.
JS 3988515 A	USPAT	19761026	Case-hardening method for carbon steel	427/249.18	427/249.19; 427/253; 427/399; 428/457	Hashimoto; Hiroshi et al.

JS 3905876 A	USPAT	19750916	Electrorecording sheet	205/55	205/54; 346/135.1; 347/172; 347/199; 347/221	Yoshino; Kimiaki et al.
JS 3892593 A	USPAT	19750701	Alkaline cells	429/173	429/174; 524/509; 525/133	Ieki; Mitsuru et al.
JS 3808494 A	USPAT	19740430	FLEXIBLE CHANNEL MULTIPLIER	313/103R	252/500; 252/511; 252/514; 313/103CM; 313/105CM; 313/105R	Hayashi; Tomonao et al.
JS 3778776 A	USPAT	19731211	ELECTRONIC COMPUTER COMPRISING A PLURALITY OF GENERAL PURPOSE REGISTERS AND HAVING A DYNAMIC RELOCATION CAPABILITY	711/206		Hakozaki; Katsuya
JS 3499998 A	USPAT	19700310	MAGNETIC TRANSDUCING APPARATUS HAVING TRANSDUCER-ENGAGING DRIVE CAPSTAN WITH ELASTIC TIRE [TEXT AVAILABLE IN USOCR DATABASE]	360/130.31	226/191; 360/130.21	IEKI MITSURU et al.